

Упатство за подесување на компјутерите

-за потребите за користење на ДМС системот-

Содржина

Подесувања за оперативен систем: Windows XP Service Pack 3.....	3
Java:	3
Internet Explorer:.....	3
-Подесување на IE: за DMS.....	3
-Подесување на IE : за eInput server-Captiva(Скенер).....	4
Подесувања за оперативен систем: Windows 7	6
Java:	6
Internet Explorer:.....	6
-Подесување на IE: за DMS.....	6
-Подесување на IE : за eInput server-Captiva(Скенер).....	7

Подесувања за оперативен систем: Windows XP Service Pack 3

Java:

1. Инсталација на jre 6u27 (оваа верзија можете да ја симнете на: <http://www.oracle.com/technetwork/java/javasebusiness/downloads/java-archive-downloads-javase6-419409.html#jre-6u27-oth-JPR>)
2. Во Control Panel\All Control Panel Items кликнете на Java
3. Кликнете на табот Java-> View (Во случај да има две верзии ја избирате 1,6.0.27 или можете да ја деинсталирате старата верзија ако не се користи за друга апликација)
4. Во Advanced под опцијата Security избирате Mixed code да биде (Disable)

Internet Explorer:

Треба да се инсталира IE7 или IE8

-Подесување на IE: за DMS

Продукција:

http://dms.gov.mk/taskspace?appname=MIOA_DMS

Тест:

http://88.85.105.52/taskspace?appname=MIOA_DMS

Горе наведените адреси да се стават во :Trusted sites

Chapter 4

Configuring Prerequisite Applications

Tasks in this section provide information about important configuration steps related to prerequisite applications.

Topics include:

- [Configuring Microsoft Internet Explorer for eInput, page 25](#)

Configuring Microsoft Internet Explorer for eInput

eInput requires that Microsoft Internet Explorer uses the following settings. These settings are especially important when running eInput modules for the first time, since the PDI ActiveX controls must be installed.

To modify Security tab settings for Internet Explorer:

1. In Internet Explorer, select Internet Options from the Tools menu.
2. On the Security tab:
 - a. Add eInput to Trusted sites
 - b. To see thumbnails in Vista, Protected Mode (at Tools > Security > Zone > Protected Mode) must be switched off.
 - c. Click Custom Level to display the Security Settings window.
 - Under ActiveX controls and plug-ins > Download signed ActiveX controls, choose Prompt or Enable.
 - Under ActiveX controls and plug-ins > Run ActiveX controls and plug-ins, choose Prompt or Enable.
 - Under ActiveX controls and plug-ins > Script ActiveX controls marked safe for scripting, choose Prompt or Enable.
 - Under Miscellaneous > Allow scripting of Microsoft (Internet Explorer in 6.0) web browser control, choose Enable.
 - Under Miscellaneous > Submit nonencrypted form data, choose Prompt or Enable.

- Under **Scripting > Active scripting**, choose **Prompt** or **Enable**.
- For Internet Explorer 7 and 8 only, under **Scripting > Allow programmatic clipboard access**, select **Enable**.

To ensure Internet Explorer works with eInput in offline mode:

1. From the **Control Panel > Internet Options > Advanced Tab > Security > Empty Temporary Internet Files folder when browser is closed** option, make sure the checkbox is cleared (default setting).
2. From **File** menu in Internet Explorer, select **Work offline**.
3. From the **Internet Options** window, in the **Temporary Internet files (Internet Explorer 6)** or **Browsing history (Internet Explorer 7 or 8)** section of the **General** tab:
 - a. Do not select **Delete Files (Internet Explorer 6)** or **Delete (Internet Explorer 7 or 8)**
 - b. In the **Settings** window, do not click **Move Folder**.
 - c. In the **Settings** window, if you click **View Object**, do not delete the PDI object.
 - d. In the **Settings** window, if you click **View Files**, do not delete any files.

Подесувања за оперативен систем: Windows 7

Java:

1. Инсталација на jre 6u27 или jre7 (овие верзии можете да ги симнете на:
<http://www.oracle.com/technetwork/java/javasebusiness/downloads/java-archive-downloads-javase6-419409.html#jre-6u27-oth-JPR>)
2. Во Control Panel\All Control Panel Items кликнете на Java
3. Кликнете на табот Java-> View (Во случај да има две верзии ја избирате 1,6.0.27 или можете да ја деинсталирате старата верзија ако не се користи за друга апликација)
4. Во Advanced под опцијата Security избирате Mixed code да биде (Disable)

Internet Explorer:

Треба да се инсталира IE7,IE8 или IE9

-Подесување на IE: за DMS

Продукција:

http://dms.gov.mk/taskspace?appname=MIOA_DMS

Тест:

http://88.85.105.52/taskspace?appname=MIOA_DMS

Горе наведените адреси да се стават во :Trusted sites

Chapter 4

Configuring Prerequisite Applications

Tasks in this section provide information about important configuration steps related to prerequisite applications.

Topics include:

- [Configuring Microsoft Internet Explorer for eInput, page 25](#)

Configuring Microsoft Internet Explorer for eInput

eInput requires that Microsoft Internet Explorer uses the following settings. These settings are especially important when running eInput modules for the first time, since the PDI ActiveX controls must be installed.

To modify Security tab settings for Internet Explorer:

1. In Internet Explorer, select Internet Options from the Tools menu.
2. On the Security tab:
 - a. Add eInput to Trusted sites
 - b. To see thumbnails in Vista, Protected Mode (at Tools > Security > Zone > Protected Mode) must be switched off.
 - c. Click Custom Level to display the Security Settings window.
 - Under ActiveX controls and plug-ins > Download signed ActiveX controls, choose Prompt or Enable.
 - Under ActiveX controls and plug-ins > Run ActiveX controls and plug-ins, choose Prompt or Enable.
 - Under ActiveX controls and plug-ins > Script ActiveX controls marked safe for scripting, choose Prompt or Enable.
 - Under Miscellaneous > Allow scripting of Microsoft (Internet Explorer in 6.0) web browser control, choose Enable.
 - Under Miscellaneous > Submit nonencrypted form data, choose Prompt or Enable.

- Under **Scripting > Active scripting**, choose **Prompt** or **Enable**.
- For Internet Explorer 7 and 8 only, under **Scripting > Allow programmatic clipboard access**, select **Enable**.

To ensure Internet Explorer works with eInput in offline mode:

1. From the **Control Panel > Internet Options > Advanced Tab > Security > Empty Temporary Internet Files folder when browser is closed** option, make sure the checkbox is cleared (default setting).
2. From **File** menu in Internet Explorer, select **Work offline**.
3. From the **Internet Options** window, in the **Temporary Internet files (Internet Explorer 6)** or **Browsing history (Internet Explorer 7 or 8)** section of the **General** tab:
 - a. Do not select **Delete Files (Internet Explorer 6)** or **Delete (Internet Explorer 7 or 8)**
 - b. In the **Settings** window, do not click **Move Folder**.
 - c. In the **Settings** window, if you click **View Object**, do not delete the **PDI** object.
 - d. In the **Settings** window, if you click **View Files**, do not delete any files.